



LED NEON FLEX


EN FLEX 015015



PRICE

9,6W	:	1,100 Baht/m
14,4W	:	1,300 Baht/m

CUTTING UNIT



BASIC PARAMETERS

SIZE	:	5000 x 15 x 15 mm.
POWER	:	9,6W/m , 14,4W/m
INPUT VOLTAGE	:	24VDC
MATERIAL	:	Silicone
CUTTING UNIT	:	50 mm.
LED STRIP OPTION	:	S2835L 112V24-9,6
	:	S2835L 140V24-14,4W
LUMENS	:	685 - 975 lm/m.
CRI	:	> 80
BEAM ANGLE	:	115°

COLOR TEMPERATURE



ACCESSORIES



STRAIGHT THROUGH CAP




END CAP WITHOUT HOLE



INSTALLATION WITH CLIP

LED NEON FLEX


EN 015015C



PRICE

14.4W : 1,000 Baht/m

CUTTING UNIT



BASIC PARAMETERS

SIZE	:	5000 x 15 x 15 mm.
POWER	:	14.4W/m.
INPUT VOLTAGE	:	24VDC
MATERIAL	:	Silicone
CUTTING UNIT	:	50 mm.
LED STRIP OPTION	:	S2835L 140V24 14.4
LUMENS	:	855 - 975 lm/m.
CRI	:	> 80
BEAM ANGLE	:	115°

COLOR TEMPERATURE



ACCESSORIES



STRAIGHT THROUGH CAP



SIDE THROUGH CAP




END CAP WITHOUT HOLE



INSTALLATION WITH CLIP

EN FLEX 016015



PRICE

9,6W : 1,300 Baht/m

BASIC PARAMETERS

SIZE	: 2000 x 16 x 15 mm.
POWER	: 9,6W/m.
INPUT VOLTAGE	: 24VDC
MATERIAL	: Silicone
CUTTING UNIT	: 50 mm.
LED STRIP OPTION	: S2835L120Q24-9.6
CRI	: > 80
LUMENS	: 465 - 505 lm/m
BEAM ANGLE	: 115°

COLOR TEMPERATURE



ACCESSORIES



STRAIGHT THROUGH



SIDE THROUGH



END TO END CONNECTION



END CAP WITHOUT HOLE




INSTALLATION WITH ALU PROFILE
1000 x 20,5 x 17,6 mm.



INSTALLATION WITH CLIP
20 x 20,5 x 17,6 mm.


CUTTING UNIT





LED NEON FLEX


EN FLEX 016015 RGBW



PRICE

15W : 2,500 Baht/m

CUTTING UNIT



BASIC PARAMETERS

SIZE	:	20000 x 16 x 15 mm.
POWER	:	15W/m.(max)
INPUT VOLTAGE	:	24VDC
MATERIAL	:	Silicone
CUTTING UNIT	:	125 mm.
LED STRIP OPTION	:	S5050M80V24RGB-15
LUMENS	:	39 - 149 lm/m
BEAM ANGLE	:	115°

COLOR TEMPERATURE



ACCESSORIES



STRAIGHT THROUGH



SIDE THROUGH



END TO END CONNECTION



END CAP WITHOUT HOLE



INSTALLATION WITH ALU PROFILE
1000 x 20.5 x 17.6 mm.



INSTALLATION WITH CLIP
20 x 20.5 x 17.6 mm.